



TECHNICAL SPECIFICATION

QuiPower Storage

Model: Module


ENERGY TRANSFORMATION IS HERE. IT'S TIME TO TAKE CHARGE.

Dimensions

QuiPower Storage

QuiPower Storage Module - main unit

Dimensions	Measurement
Width (mm)	900
Height (mm)	945
Depth (mm)	305



QuiPower Storage Module

- Modular energy storage
- For indoor use
- Not scalable
- No display



Kung Hans väg 3
192 68 Sollentuna
Sweden

+46(0)10 - 122 17 00
info@enequi.com
www.enequi.com

Dimensions

QuiPower Storage

Technical data QuiPower Storage Module

General data	Module 6kWh	Module 5kWh
Rated energy (kWh)	6	5
Nominal voltage (V) DC	576	480
No. of battery packs	4	4
Pack voltage (V)	144	120
Rated capacity (Ah)	10	10
Voltage range (V) DC	480-768	480-768
Max. continuous charging power (kW)	6	5
Max. continuous discharging power (kW)	6	5
Weight (excluding batteries) (kg)	71	71
Weight (in operation) (kg)	207	187
Protection class	IP 20	IP 20
Max. allowed relative humidity % (w/o condensation)	90	90
Ambient operating temperature range (degrees C)	-20 till 40	-20 till 40
Pollution degree	Klass 2	Klass 2
Overvoltage category	Kategori III	Kategori III
Max. installation altitude (m)	2000	2000



Kung Hans väg 3
192 68 Sollentuna
Sweden

+46(0)10 - 122 17 00
info@enequi.com
www.enequi.com